










## TOOLVOX



| COMPANY   | PRODUCT     | REQUIREMENTS   | HOW DOES IT WORK?  |
|---|-------------|--|--|
|    | OnGuard     | Lenel intercom communication module for OnGuard; ToolVox version 2.3 or newer; Lenel OnGuard 2013 SP1 (version 6.6.415)                  | OnGuard monitors the status of the ToolVox and receives call and device data when calls are placed on Code Blue phones.    |
|   | XProtect    | ToolVox version 2.8 or newer; XProtect® Corporate, Enterprise, Expert, Professional and Express 2013 and 2016 R2 editions from Milestone | XProtect monitors the status of the ToolVox and receives call and device data when calls are placed from Code Blue phones. |
|  | Ocularis    | ToolVox version 2.2 or newer   | Ocularis receives call data and is alerted when calls are placed.  |
|  | Perspective | ToolVox version 3.0 or newer   | Perspective receives call data and is alerted when calls are placed.   |


## IP PHONES



| COMPANY   | PRODUCT                       | REQUIREMENTS   | HOW DOES IT WORK?   |
|---|-------------------------------|--|---|
|    | Session Manager               | IP5000 version 2.0 or newer  | Code Blue SIP devices can be registered to an Avaya Session Manager in lieu of a ToolVox.   |
|   | Call Manager                  | IP5000 version 2.0 or newer;<br>Cisco Call Manager SMG 8.6 or newer  | Code Blue SIP devices can be registered to a Cisco Call Manager in lieu of a ToolVox.   |
|  | Omnicast,<br>Synergis, AutoVu | Sipelia communications management module for Security Center 5.3 from Genetec; IP5000 version 2.0 or newer, ToolVox X3 | Code Blue SIP devices can be registered to Genetec with or without a ToolVox to handle calls, open gates and access doors, work with CCTV systems, control lights, transfer calls to public address systems and incorporate other security devices. |
|  | Legacy Paging Interface       | InformaCast Advanced Notification, InformaCast Fusion; IP5000, IP2500, IP1500 version 2.0 or newer.                    | Code Blue SIP devices can be connected to make calls and play messages.   |



| COMPANY  | PRODUCT                  | REQUIREMENTS   | HOW DOES IT WORK?   |
|--|--------------------------|--|---|
|  ALERTUS                          | Alert Beacon             | Blue Alert MNS and ToolVox version 3.2 or newer                      | A preset web service tool in MNS pushes out notifications to Alertus' Alert Beacons.  |
|  ComQi                           | Engage                   | Blue Alert MNS and ToolVox version 3.1 or newer                      | A preset web service tool in MNS pushes out notifications via ComQi's cloud-based consumer engagement technology.                   |
|  ELECTRO-MATIC PRODUCTS, INC.   | 4U2SEE LED digital signs | Blue Alert MNS version 1.0 or newer and ToolVox version 2.0 or newer | Blue Alert MNS can push alerts and messages to digital signs during emergency incidents.  |
|  iss                            | ISS Advisory Signs       | Blue Alert MNS and ToolVox version 3.1 or newer                      | A preset web service tool in MNS pushes out notifications via ISS' emergency information radio systems.                             |
|  PELCO<br>by Schneider Electric | Endura                   | Endura Version 2.0 from Pelco; Blue Alert MNS version 3.2 or newer   | Blue Alert MNS can manage the relationship between Code Blue speakerphone events and activation of Pelco's video management system. |
|  RAVE<br>MOBILE SAFETY          | Rave Alert Admin Console | Rave Mobile API; Blue Alert MNS version 3.2 or newer                 | Configures CAP-compliant messages that can be pushed to devices connected to the Rave platform.                                     |

| COMPANY   | PRODUCT | REQUIREMENTS   | HOW DOES IT WORK?  |
|---|---------|--|--|
|  | SMS     | 2SMS text message plan;<br>Blue Alert MNS version 1.0 or newer and<br>ToolVox 2.0 or newer | Blue Alert MNS can push text message requests out through a user's 2SMS account. |