

# CODE BLUE CATALOG

Public Help Telecommunication Solutions



**Code Blue**

**scan**

for the most recent  
version of this catalog.



# INSIDE GUIDE

Page 4

## Purpose for a Help Point®

A Help Point® is more than just a call box. Discover how our Help Point® can benefit your location.

Page 6

## Selecting and Configuring Units

Configuring a Help Point® can get overwhelming: 5 easy steps to a final configuration.

Page 8-13

## Help Point® Towers

CB1 Towers, CB5 Slim Towers, CB9 Pedestals, CBRT Rectangular Tower.

Page 14-17

## Help Point® Surface Mounts

CB2 Wall Mounts, CB4 Hooded Wall Mounts.

Page 18-21

## Code Blue Speakerphones

From our small footprint phones, to our Help Point® faceplate phones, our proprietary speakerphone designs mean business.

Page 22 **NEW**

## Re-Introducing Blue Alert® Software

Out with the old, in with the new generation of our Blue Alert® System Management software.

Page 24 **NEW**

## Nebula™ Network

Nevermind adding us (or other third party devices) to your network: set up your entire Help Point® system on an un-hackable remote private network. Introducing Code Blue's *managed* cloud platform: Nebula™.

Page 26-29

## Build End-to-End Solutions

Its not just a Blue Light phone anymore. See three examples of how Code Blue can help people raise their standard of care on their property.





Линейка  
Линейка  
Линейка

# Purpose for a Help Point<sup>®</sup>

*More than just a call box.*

## Increase your Presence

Whether you aim to deter or detect suspicious/criminal activity, or you want to be present to assist your patrons. Customizing your Help Points can help you provide the presence that fits your need.

## Improve your Response

Whether it is an accident, fire, natural disaster, or someone in need of information or assistance, Code Blue products are designed to empower your personnel to gather information and facilitate a quick & intelligent response.


## Promote your Brand

With customized colors & graphics, you can promote your brand and show your willingness to provide "Help at the touch of a button<sup>®</sup>".

## Enhance your Customer Service


A personal emergency such as a flat tire, a car that won't start, a malfunctioning gate or ticket machine, quickly & effectively resolved, reflects positively on your brand & customer service ratings.

# Where do





# you Help Point®?



## Places with

- **Parking:** Lots, decks, and garages.
- **Walkways:** Concourses, sidewalks, trails, hallways, open spaces, bridges, tunnels.
- **Entrances:** Guarded or Unmanned.

## Such as...

### Hospitals

- CB1 on sidewalks
- CB2 wall-mounted in parking garage
- CB4 pole-mounted or CB5s in parking lot
- CB5p on parking deck or top deck of garage

### Schools

- CB1 on sidewalks and trails
- CB4 pole-mounted or CB5s in parking lot

### Transit Systems

- CB1 on platforms or at bus stops shelters
- CB2 on underground platform walls
- CB4 call boxes on platforms and in parking lots

### Airports

- CB2 wall-mounted in parking garage or overpass
- CB4 pole-mounted or CB5s in parking lot
- CB5p on parking deck or top deck of garage
- CB6 or Centry® in concourse and skyways

### Corporations

- CB1 on sidewalks
- CB2 wall-mounted in parking garage
- CB4 pole-mounted or CB5s in parking lot
- CB4 curb-mounted or CB9 at gated entrance

### Cities

- CB1 on sidewalks
- CB2 on bridges and in tunnels
- CB4 pole-mounted or CB5s in parking lot
- CB5p on parking deck or top deck of garage

### Beaches

- CB1 on beach, pier and/or boardwalk
- CB4 pole-mounted or CB5s in parking lot
- Centry on pavilion walls

### Shopping Centers

- CB1 on sidewalks
- CB2 wall-mounted in parking garage
- CB4 pole-mounted or CB5s in parking lot
- CB5p on parking deck or top deck of garage
- Centry in restroom hallways and food court

### Stadiums

- CB1 at stadium entrances
- CB4 pole-mounted or CB5s in parking lot
- CB6 or Centry® in perimeter concourse

### Casinos

- CB4 pole-mounted or CB5s in parking lot
- CB5p in parking deck or top deck of garage

### Parks & Recreation

- CB1 on trails

# CONFIGURING HELP POINTS®

As simple - or as robust - as you need it to be.

# 1

## Map the locations of the Help Points®.

As a rule of thumb, 1 or 2 blue lights should be visible from any location on site.

# 2

## Choose how the enclosure will be mounted and the enclosure model/series.

Free Standing Series/Models

**+ CB1** CB1e, CB1s, CB1w (pg. 8)

**+ CB5** CB5p, CB5s (pg. 10)

**+ CB9** CB9s, CB9t (pg. 12)

**+ CBRT** (pg. 13)

Wall or Pole-Mounted Series

**+ CB2** CB2a, CB2e, CB2s (pg. 14)

**+ CB4** CB4r, CB4s, CB4u (pg. 16)

**+ CB6** CB6 and Speakerphones (pg. 18)

(Consider power options\* and property voltage availability.)

# 3

## Select a Faceplate & Phone. (pgs. 20-21)

Customize your faceplate and phone with analog or IP, additional buttons, keypads and more.

# 4

## Choose your Communication Platform. (pgs. 24-25)

Network management, maintenance and monitoring options.

# 5

## Utilize our Blue Alert® System Management Tools. (pg. 22-23)

Elevate your standard of care with our advanced connection and monitoring capabilities.





# From Concept to Construction

A wide variety of tools are available online to aid your design process at [codeblue.com/design](https://codeblue.com/design).

Case  
Studies

Drawings

Guides

Product  
Sheets

Videos

White  
Papers

## Emergency *and* Concierge

### Strengthening Security

Whether it's an accident, fire, natural disaster or something more sinister, the life-saving potential of emergency communication solutions cannot be overstated. That's why Code Blue products are designed to provide a lifeline to request help and empower you to act quickly and intelligently before, during and after an incident.

### Enhancing Customer Service

A personal emergency - a car that won't start, a malfunctioning gate or ticket machine - may not be life-threatening, but it does highlight the opportunity to offer onsite assistance in situations that are not potentially dangerous and may not require traditional police or 911 personnel.

#### \*POWER OPTIONS



Hard Wire



PoE



Solar



NightCharge®  
(switched grid)

#### NETWORK OPTIONS



Cellular



Copper



Ethernet



Fiber



Wireless

# CB1 SERIES

## Tower Enclosures

Designed for

- Sidewalks
- Park trails
- Transit platforms

### Key Features

Its **size** being the most notable feature, the iconic CB1 towers are highly visible. Their presence not only **deters crime**-related events, it offers a convenient source of emergency and/or concierge assistance to patrons.

The quarter-inch thick steel gives our cylindrical Help Points® **unmatched durability**: standing tall and ready to make the call, withstanding vehicle impacts, floods and hurricanes.

### Mounting Kit Options



#### CB1 Foundation Anchor Kit

Template and anchor bolts.


Part # **40058**



#### CB1 Deck Mount Kit

Template, plates, and anchor bolts.


Part # **40215**





	Specifications				Power					Communication			Lighting			Options				
	Height (ft.)	Diameter - base (in.)	Steel Thickness (in.)	Weight (lbs.)	Hard Wire	Voltages (AC)		NightCharge®	PoE	Solar	Hard Wire	Cellular	IP Wireless	LED Faceplate Light	Beacon/Strobe	Area Light	AED	Audio Paging	Overhead Camera Mount	Dual Faceplates
<b>CB 1-e</b>	9	12.75	0.25	330	●	12-24*, 120, 240, 277		●	●		●	●	●	●			●	●	●	●
<b>CB 1-s</b>	9	12.75	0.25	290	●	12-24*, 120, 240, 277		●	●		●	●	●	●	●		●	●	●	●
<b>CB 1-w</b>	9.98	12.75	0.25	400		12 (DC only)				●	●	●	●	●			●			


## Model Options & Accessories





ACCESSORY 360° Loudspeaker  
To add 360° Audio Paging loudspeaker function.

ACCESSORY Overhead Camera Mount  
To add 360° camera surveillance.  
(Camera not included)

ACCESSORY Equipment Rings  
To encase and mount third party electronics for point-to-point mesh networks.



ACCESSORY Active Vent  
Solar-powered fan cools electronics and prevents lens fog.



### CB1 Models

	-e	-s	-w
Single opening	CB1-e [A]	CB1-s [B]	CB1-w [C]
Single opening, AED	CB1-e AED	CB1-s AED [D]	x
Dual opening	CB1-ed [E]	CB1-sd	CB1-wd
Dual opening, AED	CB1-ed AED	CB1-sd AED	x

# CB5 SERIES

Designed for

- Parking Lots & Decks
- Walkways, Trails

## Economy Enclosures

### Key Features

Our **slim** cylindrical tower Help Point® series are ideal for parking lots or parking decks. These CB5 towers can also be an **economical alternative** to our CB1 series.

The quarter-inch thick steel gives our cylindrical Help Points® **unmatched durability**: standing tall and ready to make the call, withstanding vehicle impacts, floods and hurricanes.

### Mounting Kit Options



#### CB5 Foundation Anchor Kit

Template and anchor bolts.


Part # **40060**



#### CB5 Deck Mount Kit

Template, plates, and anchor bolts.

Part # **40215**





	Specifications				Power					Communication			Lighting			Options			
	Height (ft.)	Diameter - base (in.)	Steel Thickness (in.)	Weight (lbs.)	Hard Wire	Voltages (AC)	NightCharge®	PoE	Solar	Hard Wire	Cellular	IP Wireless	LED Faceplate Light	Beacon/Strobe	Area Light	AED	Audio Paging	Overhead Camera Mount	Dual Faceplates
CB 5-s	9.5	8.6	0.25	220	●	12-24", 120, 240, 277		●		●	●	●	●			●	●	●	
CB 5-p	7	8.6	0.25	190	●	12-24", 120, 240, 277		●		●	●	●	●				●	●	

## Model Options & Accessories

**CB5-p**

7 ft

8.6 in

190 lbs

**ACCESSORY**  
Overhead Camera Mount  
To add 360° camera surveillance.  
*(Camera not included)*

**ACCESSORY**  
Decorative Lantern Top  
Give your beacon strobe a streetlight feel.

**ACCESSORY**  
360° Loudspeaker  
To add 360° Audio Paging loudspeaker function.

**ACCESSORY**  
cellular antenna

faceplate light

**Dual opening option**

CB5 Models	-p	-s
Single opening	CB5-p <b>[B]</b>	CB5-s <b>[A]</b>
Dual opening	CB5-pd	CB5-sd <b>[C]</b>


# CB9 SERIES

## Pedestal Enclosures

### Key Features

The same diameter as our CB1 models, this series drops the blue light beacon to offer concierge assistance. The **car and truck-height** 9-t models assist drivers at a gated vehicle entry. A 9-s model serves pedestrians requiring access at building entrances.

The quarter-inch thick steel gives our cylindrical Help Points® **unmatched durability**: standing tall and ready to make the call, withstanding vehicle impacts, floods and hurricanes.



### Mounting Kit Options



**CB9 Foundation Anchor Kit**

Template and anchor bolts.

Part # **40058**



**CB9 Deck Mount Kit**

Template, plates, and anchor bolts.

Part # **40215**

CB9 Models	-s	-t
Single	CB9-s [A]	CB9-ts
Single/Single	x	CB9-tss
Single/Dual	x	CB9-tsd
Dual	CB9-sd	CB9-td
Dual/Single	x	CB9-tds
Dual/Dual	x	CB9-tdd [B]

# CB-RT MODEL

## Rectangular Enclosure

### Key Features

Our only rectangular tower design, this Help Point® is another **alternative look** to our CB1 cylindrical tower.

#### ACCESSORY Overhead Camera Mount

To add 360° camera surveillance.

*(Camera not included)*



### Mounting Kit Options



#### CBRT Foundation Anchor Kit

Template and anchor bolts.


Part # **40059**



#### CBRT Deck Mount Kit

Template, plates, and anchor bolts.

Part # **40352**



	Specifications				Power			Communication			Lighting			Options				
	Height (ft.)	Diameter - base (in.)	Steel Thickness (in.)	Weight (lbs.)	Hard Wire	Voltages (AC)	NightCharge®	PoE	Solar	Hard Wire	Cellular	IP Wireless	LED Faceplate Light	Beacon/Strobe	Area Light	AED	Audio Paging	Overhead Camera Mount
CB RT	9	10x8	0.1875	225	●	12-24*, 120, 240, 277	●	●	●	●	●	●	●	●			●	
CB 9-s	5	12.75	0.25	190	●	12-24*, 120, 240, 277		●		●	●	●	●					●
CB 9-t	9	12.75	0.25	330	●	12-24*, 120, 240, 277		●		●	●	●	●					●

# CB2 SERIES

Designed for

- Parking Garages
- Bridges and Tunnels

## Surface Mount Enclosures

### Alternative Pole Mounting Option



#### CB2 Pole Mount Kit

Mounting bracket with banding and fasteners.

Part # **40133**



### Key Features

The inset faceplate design allows for a faceplate light, making this model ideal for poorly lit areas.

A 4-inch depth makes this model ADA compliant.

### Best Application

Wall-mounted or pole-mounted, in a hallway, parking garage, deck, or lot.

### Key Features

An area light feature makes the CB2-s stand out in the dark.

The faceplate light supports visibility of the speakerphone beneath the deep inset.

### Best Application

Poorly lit parking lots or building entrances.



	Specifications						Power				Communication		Lighting			Options			
	Height (in.)	Width (in.)	Depth (in.)	Material	Thickness (in.)	Weight (lbs.)	Voltages (AC)	Hard Wire	NightCharge®	PoE	Solar	Hard Wire	Cellular	LED Faceplate Light	Beacon/Strobe	Area Light	AED	Audio Paging	Dual Faceplates
<b>CB 2-a</b>	29.79	11.90	4	Stainless Steel	0.078	32	12-24*, 120, 120-277	●		●		●	●	●				Remote	
<b>CB 2-e</b>	29.79	11.90	4	Stainless Steel	0.078	32	12-24*, 120, 240, 277	●		●		●	●		●			Remote	
<b>CB 2-AP</b>	29.8	11.90	4	Stainless Steel	0.078	31	12-24*, 120, 240, 277	●		●		●	●		●			●	
<b>CB 2-AED</b>	46.5	15.5	11	Carbon Steel	0.125	200	120	●				●	●		●		●		
<b>CB 2-s</b>	42	12	8.7	Stainless Steel	0.105	100	12-24*, 120, 240, 277	●		●		●	●	●	●			Remote	

# CB2-AED



## Key Features

A 4-inch depth makes this model ADA compliant.

## Best Application

Wall-mounted or pole-mounted in a well-lit parking deck, garage or hallway.

## Key Features

This CB2 model offers a built-in paging speaker.

A 4-inch depth makes this model ADA compliant.

## Best Application

Wall-mounted in a well-lit parking deck or garage where an AP system is desired.

## Key Features

This CB2 model features a temperature-controlled, waterproof housing to store and power an AED.

## Best Application

- AED compliance applications:
- Outside k-12 school entrances.
  - On each level of a parking garage.

# CB4 SERIES

Designed for

- Hallways
- Parking Lot Poles
- Gate Entry Access

## Surface Mount Enclosures

### Mounting Kit Options



#### CB4-s and CB4-r Curb Mount Kits

Steel painted curb mount stands. Available in a single or dual for car height and/or truck height applications.

Part # (Dual) **40777**  
(Single) **41462**



#### CB4 Pole Mount Kit

Mounting bracket with banding and fasteners.

Part # **40027**



### Key Features

Similar in size to the surface-mount speakerphone enclosure, this model sets itself apart with the addition of a low-profile **canopy hood**.

### Best Application

- Mounted in a parking lot or garage.
- Curb-mounted at a shipping/receiving gate.

### Key Features

This CB4-r model adds height to the hood for the addition of **faceplate light**. You can also customize the additional **front face graphic**.

### Best Application

- Mounted in a parking lot or garage.
- Curb-mounted at a shipping/receiving gate.

	Specifications						Power					Communication		Lighting			Options		
	Height (in.)	Width (in.)	Depth (in.)	Material	Thickness (in.)	Weight (lbs.)	Voltages (AC)	Hard Wire	NightCharge®	PoE	Solar	Hard Wire	Cellular	LED Faceplate Light	Beacon/Strobe	Area Light	AED	Audio Paging	Dual Faceplates
CB 4-s	13.38	10.25	6	Carbon Steel	0.078	13	12-24*	●		●		●	●		Remote			Remote	●
CB 4-r	15.25	10.25	6	Carbon Steel	0.125	13	12-24*	●		●		●	●	●	Remote			Remote	
CB 4-u	25.75	14	12.68	Carbon Steel	0.125	70	12-24*	●	●	●		●	●	●	Remote			Remote	

## CB4-d



## CB4-u



### Key Features

This CB4-d is a **dual-opening** unit for the addition of a second speakerphone, directory faceplate, custom faceplate.

### Best Application

- Mounted in a parking lot or garage.
- Curb-mounted at a shipping/receiving gate.

### Key Features

The **access door** of the CB4-u model gives this unit additional space for IoT devices and batteries.

### Best Application

- Use with **Nightcharge** for switch-grid parking lots. The phone charges at night while the power grid is on, and runs on battery during the day while it's off.



### NightCharge Kit

Alternative backup battery power for switch-grid parking lots.

**Part #** **45006**

# CB6 & SPEAKER PHONES

## In The Wall

### Key Features

The smallest Code Blue enclosure, the CB6 allows the following faceplate enclosure phones to be mounted flush with the wall, or on the wall's surface:

- **IA4100** Analog Speakerphone
- **LS1000** IP Speakerphone
- **LS2000** IP Handset Phone

The phone gains a small footprint look without sacrificing its robust capability.

The CB6-s shines in its ability to receive a cellular connection over a cellular IP antenna.

### SURFACE MOUNT SPEAKERPHONES



### FLUSH MOUNT SPEAKERPHONES



	Specifications						Power				Communication		Lighting			Options			
	Height (in.)	Width (in.)	Depth (in.)	Material	Thickness (in.)	Weight (lbs.)	Voltages (AC)	Hard Wire	NightCharge®	PoE	Solar	Hard Wire	Cellular	LED Faceplate Light	Beacon/Strobe	Area Light	AED	PAS	Dual Faceplates
Surface Mount   CB6-s	12.75	9.5	3.48	Carbon Steel	0.078	12.75	12-24*	●		●		●	●		Remote			Remote	
Flush Mount   CB6-f	11.75	8.5	3.5	Carbon Steel	0.125	10.5	12-24*	●		●		●	●		Remote			Remote	



Type	Specifications											Faceplate					Functionality									
	Analog or IP	Surface Mount	Flush Mount	Height (in.)	Width (in.)	Depth (in.)	Operational Temperature	Battery Backup	Contact Closure-IN	Contact Closure-OUT	Ethernet Ports	Power	RAM	Conformal Coated PCB	Single Button Faceplate	Dual Button Faceplate	Keypad	Faceplate Camera option	Handset	LED Status Indicator Light(s)	Able to Drive Audio Paging Messages	Full Duplex	Line Level Audio Output	Self-Monitoring	Number Storage	Message Storage
<b>Centry®</b>	IP	●	●	10.25 (sm) 10 (fm)	4.75 (sm) 4.5 (fm)	2.875 (sm) 3.125 (fm)	-40° C to 70° C (-40° F to 158° F)	Opt	3	3	3	PoE 12V DC	4MB	●	●	●	●			●	●	●	8 ohm	●	●	●
<b>LS1000</b>	IP	●	●	11.75	8.5	2.5			3	3	3	PoE 12V DC	4MB	●	●	●	●	●		●	●	●	8 ohm	●	●	●
<b>LS2000</b>	IP	●	●	11.75	8.5	2.5			3	3	3	PoE 12V DC	4MB	●	●		●	●		●	●	●	8 ohm	●	●	●
<b>IP2500</b>	IP	●	●	7.15 (sm) 9 (fm)	7.41 (sm) 9 (fm)	2 (sm) 4 (fm)				1	1	PoE	1MB	●	●	●				●	●	●		●	●	●
<b>IP1500</b>	IP	●	●	4.56 (sm) 5 (fm)	4.56 (sm) 5 (fm)	2.06 (sm) 2.16 (fm)				1	1	PoE	1MB	●	●					●	●	●		●	●	●
<b>IA4100</b>	A	●	●	11.75	8.5	2.5			●	2	3	12-24V AC/DC		●	●	●	●			●	●	●	600 ohm	●	●	●



### Key Features

Our smallest speakerphone, the bezel text on this single-button help phone can read “Emergency” or “Push for Help”.

### Best Application

Wall-mounted in a stairwell for an AOR solution.

### Key Features

With better audio quality than the IP1500, this help phone comes as a single or double button with “Emergency” or “Push for Help” bezel text.

### Best Application

Wall-mounted in a stairwell for an AOR solution.

### Key Features

Centry is our smallest Help Point® phone. Featuring ringlit piezo buttons, curved blue beacon light, and camera option.

### Best Application

Wall-mounted at door entrances or pool decks, and hallways for pedestrian & staff use.

# FACEPLATE OPTIONS

## For Enclosure Openings

What kind of help do you want to provide *at the touch of a button*?

Your Help Point® can connect your patrons to any number of resources, people or professionals.

With an engineering and telephony team at your fingertips, freely push the limits of how you can help in the name of emergency, security, assistance, and mobility.

### Directory Faceplate

Stainless Steel faceplate frame for a printed media such as a directory or flyer.

Part # **40057**

### CUSTOM

### Faceplate Cut-Out



Integrate additional bezel buttons, a third-party camera, card reader, or other technology into our blank plates with a our faceplate cut-out option.

OPENING  
2

OPENING  
1









NEW

### Hearing Loop Device

Adding a T-loop device to your faceplate phone enables the hard-of-hearing to receive the audio directly to their hearing aids.



# LS1000 | IA4100 Faceplate Speakerphones

	Single button	Double button	Keypad	Single button with camera	Double button with camera	Keypad with camera
	<ul style="list-style-type: none"> <li>• Large bezel button</li> </ul>	<ul style="list-style-type: none"> <li>• Large bezel button</li> <li>• Small INFO bezel button</li> </ul>	<ul style="list-style-type: none"> <li>• Large bezel button</li> <li>• Small CALL bezel button</li> <li>• Keypad</li> </ul>	<ul style="list-style-type: none"> <li>• Large bezel button</li> <li>• Camera</li> </ul>	<ul style="list-style-type: none"> <li>• Large bezel button</li> <li>• Small INFO bezel button</li> <li>• Camera</li> </ul>	<ul style="list-style-type: none"> <li>• Large bezel button</li> <li>• Small CALL bezel button</li> <li>• Keypad</li> <li>• Camera</li> </ul>
						
	Includes one of the standard textile Bezel options below. Or, customize a unique bezel for your solution.					
LS1000	✓	✓	✓	✓	✓	✓
IA4100	✓	✓	✓			

BEZEL OPTIONS

## PUSH FOR HELP



- Raised, tactile letters with braille beneath.
- Recessed, touch-sensored Piezoelectric button that won't stick or jam.
- Indicator lights to signal when the call is placed and when the call is answered.

## EMERGENCY



## ASSISTANCE



FINISH OPTIONS

## Standard







Bare stainless steel

## Clearcoat



Bright Silver paint with a corrosion-proof clearcoat

# LS2000 Faceplate Handset Phones

Handset	Handset and Volume	Handset and Keypad	Handset, Volume & Keypad
<ul style="list-style-type: none"> <li>• Handset Only</li> </ul>	<ul style="list-style-type: none"> <li>• Handset</li> <li>• Volume control button</li> </ul>	<ul style="list-style-type: none"> <li>• Handset</li> <li>• Keypad</li> </ul>	<ul style="list-style-type: none"> <li>• Handset</li> <li>• Volume control button</li> <li>• Keypad</li> </ul>
			



## "Location Being Serviced" Cover

Protective sign cover for the enclosure opening while phones are being serviced.

Part # **40208**


RE-INTRODUCING...

# BLUE ALERT<sup>®</sup>

## Software

The new generation of Blue Alert<sup>®</sup> is here.

Blue Alert<sup>®</sup> is still sending and receiving alerts. But, it has taken legacy connection and monitoring capabilities to the next level by providing more features, functionality, and platform delivery options.



## PBX Solution

Where do you need to send your calls? Whether it is 911, a dispatcher's desk, a professional call center or even a mobile device, you can provision your Blue Alert<sup>®</sup> Connect to send calls from any unit to the number of your choice.

### Dial Tone




Conveniently generate dial tone for your Help Point<sup>®</sup> speakerphones.

### IP and Analog


Bring IP and Analog technology together for seamless and flexible communication.

### Paging

Easily set up emergency paging notifications.

Available Formats	CONNECT	MONITOR	MOTION
<b>Off-Prem</b>  Nebula™ Cloud Network	●	●	●
<b>On-Prem</b>  ToolVox XS Server	●	●	
 ToolVox XV Virtual Machine	●	●	





# BLUE ALERT MONITOR

## System Diagnostics & Monitoring

Get reassurance that your Help Points® are working, and the benefit of taking timely action when they're not.

### Monitor


Continuous remote monitoring allows you to know when your Help Point® requires maintenance.

### Diagnostics

Schedule and run tests to ensure all your Help Point® features are working properly.

### Notifications

Receive notifications when diagnostics fails.



# BLUE ALERT MOTION

## Video Feed and Storage

A secure hosted event-based video recording solution built on world leading streaming and storage technologies.

### Cloud-based Recording

With cloud-based recording, you will never miss a moment. Blue Alert® Motion service automatically stores all your Help Point® initiated footage safely in the cloud, making it accessible from anywhere.

### Notifications

Be notified via email or text when your Blue Alert® Motion platform logs a new recording. Receive alerts on your smartphone or other devices.

### Mobile App

Easily access your event-based video recordings from anywhere with an internet connection.



Are you currently operating with our Legacy Toolvox X3 software and interested in making the switch? Take advantage of our upgrade promotion and call our team today.

# NETWORK

Over



# nebula

## Your Managed Cloud Platform

Run calls, video, data, and more on a *secure* VPN.

### *Problem*

When your organization is preparing to onboard our Help Point® products and solutions, one of the biggest concerns can be your network security: **How can you know for sure what network security risks these Help Point® phones might bring?**

### *Solution*

Being in the security industry - we get it. That's why we've added Nebula™ cloud to our end-to-end solution: **It's a network off your network.**

Calls, video, software and data - along with anything else you want - can be moved to a separate Nebula™ network for ultimate peace of mind.

### **NEW** *Failover connectivity solution*

Code Blue offers a multicarrier sim card solution for *failover backup*. Our sim card will roam between major network carriers for continuous cellular connection. For more information, please contact us at **800-205-7186**.

Enables...

- ✓ **Hosted PBX**  
Blue Alert® Connect over our cloud network.
- ✓ **Cellular SIM Cards**  
Now offering 4G/5G cellular data plans and multicarrier sim cards.
- ✓ **Network Security**  
A secure VPN connection off your network.
- ✓ **Redundant Connectivity**  
Primary and failover communications. **Ask about our back up cellular sim card!**
- ✓ **Quick-Fix for Cabling Issues**  
Avoid trenching costs and leave cable behind.
- ✓ **Multiple Connection Options**  
Wired, Wi-Fi, or cellular connection.
- ✓ **Automatic Updates**  
A fully-managed cloud platform.
- ✓ **Drop Network Maintenance**  
Unless maintenance is something you actually *want* to do; Private and Consumer packages are available.

# Network Packages

Blue Alert® software provides the *call* connection - SIP registration, call routing, connection supervision, SNMP diagnostics and reporting - what *network connectivity* will it happen on?

In packages based on your organization's network preferences, management style and size, we seek to provide the scenario that's ideal for you.

**Managed** and **Consumer** Cloud packages provide a remote Nebula™ cloud network for storing Blue Alert® software - and more - off your local network. **Private** Cloud keeps Blue Alert® software on your own local network via server appliance or VM.

## Flexible Network Connectivity Options

We can help you maintain the flexibility to place devices where phone or data lines may not be available or we can work with your existing infrastructure to make sure you stay connected.



Cellular



Copper



Ethernet



Fiber



Wireless

		MOST POPULAR		
		MANAGED CLOUD	CONSUMER CLOUD	PRIVATE CLOUD
CELLULAR IP	Connect remote Code Blue units via:	Nebula™ network.	Nebula™ network only or Nebula in combination with customer's local network.	Customer's local network.
	Network accessed by:	Cellular IP and/or wired internet, Wi-Fi and encrypted, secure VPN tunnels.	Cellular IP and/or wired internet, Wi-Fi and encrypted, secure VPN tunnels.	Cellular IP.
DATA	SIM Cards and Data Plans provided by:	Code Blue, Reseller or Customer.	Code Blue, Reseller or Customer.	Code Blue, Reseller or Customer.
	Blue Alert® Connect and Monitor included, via:	Nebula™ cloud network.	Nebula™ cloud network.	Server  VM
SUPPORT	Network Support Hours for setup, configuration, and training.	Unlimited.	Bucket of Time: 5, 7.5, or 10 hours.	Bucket of Time: 5, 7.5 or 10 hours.
	Ongoing network management, maintenance and monitoring by:	Code Blue.	Code Blue and/or Customer.	Customer.
TERMS	Nebula Cloud Platform	Sold <b>per extension</b> at 1, 2, 3 or 5 year terms.	Single flat fee or sold <b>per extension</b> at 1, 2, 3 or 5 year terms.	N/A.
	Cellular Data Plan	Sold <b>per extension</b> at 1, 2, 3 or 5 year terms.	Sold <b>per account</b> at 1, 2, 3 or 5 year terms.	1, 2, 3 or 5 year terms with Code Blue cellular data plan.

# CUSTOMIZE AN EXPECTANT

## The Visual Psychology of Help

Blue light beacon phones have historically symbolized emergency help. With additional creativity your Help Point® can help in other ways.

Your brand colors and logo not only symbolize your ownership of the blue light phone, they also establish trust and familiarity with it, increasing the likelihood of its use for more than just emergency situations.

The presence of your brand can challenge their assumption that it only calls 9-1-1 or security. This opens more doors of curiosity, causing them to ask:

- “When can I use this?”
- “Who might this call?” or
- “What might this help me do?”

It’s important to answer those questions as quickly as possible through the color, text and graphic elements of your Help Point® design.



Recommended Combinations

Will your Help Point® ...

Color

**Deter Crime, Call 9-1-1 Only?**

Blue or Local Law Enforcement **Brand Colors**

**Call campus safety or grounds security?**

**Brand Colors**

**Provide Life Rescue Resources?**

Red and White and/or **Brand Colors**

**Reach a Suicide Hotline?**

Yellow

**Facilitate Gate/Door Entry?**

**Brand Colors**

**Alert for Handicap Assistance?**

**Brand Colors**

**Provide a Safe Exchange Zone?**

**Brand Colors**

**Offer Parking Garage Assistance?**


Stainless Steel or **Brand Colors**

**Provide a Courtesy Phone?**

Stainless Steel or **Brand Colors**



# ION



**FINISH OPTIONS:** \* Clearcoat finish required for high iron or saltwater locations.

Side Text	Bezel Text	Graphics
Emergency, Police	Emergency or Push for Help	None or local law enforcement logo
Security	Emergency, Push for Help or Assistance	Brand logo
Emergency, Help Point	Emergency or Push for Help	Red Cross and or brand logo
Crisis Hotline, Help Point	Push for Help or handset phone	Hotline logo and/or brand logo
Access, Entry	Assistance or Push for Help	Brand logo
Assistance, Help Point	Assistance, Push for Help and/or custom	Handicap symbol and brand logo
Exchange Zone	Assistance and/or custom	Exchange symbol and brand logo
Assistance, Courtesy, Help Point	Assistance or 911	None or brand logo
Courtesy, Information	Assistance	None or brand logo

Did you know our clearcoat paint option increases the corrosion resistance of your Help Point® and **increases your Warranty?**

## Side Text

The large reflective text labeling the side of your Help Point® should be used to tell them **who's** help or what kind of help they will be getting connected to.

## Bezel Text

The text on the call button's bezel further confirms or differentiates the type of call they can make. Models with multiple faceplate openings give way to several bezel text opportunities.

## Paint Process

Our intensive multi-coat paint process begins with a one-component organic zinc rich primer that provides excellent corrosion resistance and is finished with topcoat baked-on polyurethane enamel for maximum durability and longevity.

Choose from our library of standard colors, or have us color-match your exact brand colors in Pantone or RAL.

## Graphics

Add vinyl and silkscreen graphics of your logo and other design details to customize your Help Point®.


# DEVELOP YOUR SOLUTION

## Cloud-Based AOR

Cloud-based Blue Alert® Connect and Blue Alert® Motion can be utilized with IP- and analog-based Area of Refuge\* solutions.


An AOR system provides building stairwells with reliable two-way communication, allowing first responders to assist individuals who cannot evacuate or may require additional assistance.

*\*sometimes called Area of Rescue*



# UR

# Garage Phone Network



# Transit Boarding Assistance

Wheelchair-height boarding assistance buttons initiate an amber strobe, alerting the conductor to stop and offer assistance to a disabled patron boarding the train.

A double button speakerphone with camera (LS1000-dc) provides an INFO button to hear the train schedule and a PUSH FOR HELP call button to reach an operator via cellular IP connection on a fully-managed Nebula™ cloud network.

The camera sends video feed to the operator's Blue Alert® Motion app for superior visibility and communication as they assist.



+ BLUE ALERT CONNECT

+ BLUE ALERT MONITOR

+ BLUE ALERT MOTION

### ACCESSORY

Cellular IP Antenna

To enable wireless service over our cloud platform

### CUSTOM

“Boarding Assistance” bezel and ADA button


### CUSTOM

“Cancel Assistance” bezel and blue button

### ACCESSORY

Remote Beacon Strobes

Blue and Amber



hearing induction loop

*This page is intentionally left blank*

# UL CERTIFICATION MODELS

UL Model No.	Code Blue Products
ENBS01	CB6s
ENBS14	CB6f
ENBS02	CB4s
ENBS03	CB4d
ENBS04	CB4r
ENBS05	CB4u
ENBS06	CB2e
ENBS07	CB2a
ENBS09	CB2s
ENBS10	CB2e-AED
ENBS15	CB2a Audio Paging - Stainless
ENBS16	CB2a Audio Paging - Painted Carbon
ENTS01	CB5p
ENTS03	CB5s
ENTS04	CB5sd
ENTM01	CBRT
ENTM02	CB1e
ENTM03	CB1sd
ENTM04	CB1s
ENTM05	CB1ed
ENTM06	CB1w
ENTM08	CB9s
ENTM15	CB9tdd
ENTM16	CB1s AED
ENTM18	CB1s AED
LGXF01	CB1's, CB5's, CB9's, CBRT, CB2's
LGXS01	CB1w, CB5's, CBRT
LGXA01	CB1s
IPAT01	IA4100 Single Button
IPAT02	IA4100 Double Button
IPAT03	IA4100 Keypad
IPVT01	LS1000-c Single Button
IPVT02	LS1000-c Double Button
IPVT03	LS1000-c Keypad
IPVT04	LS1000 Single Button
IPVT05	LS1000 Double Button
IPVT06	LS1000 Keypad
IPVH01	LS2000 Handset
IPVH02	LS2000 Handset with Volume
IPVH03	LS2000 Handset with Keypad

UL Model No.	Code Blue Products
IPVH04	LS2000 Handset with Keypad/Volume
IPVDO3/ENBS11	Centry Camera Double Button Surface Mount
IPVDO3/ENBS12	Centry Camera Double Button Flush Mount
PHXS01	IP1500
PHXS02	IP1501
PHXS04	IP2500
PHXS06	IP2501
TACC01	Overhead Camera Mount for ENTM01
TAPA01	PA Tower attachment
TAPA02	Audio paging solar tower
TALT01	Lantern Top
MTBM01	CB4s&r Single curb mount kits
MTBM02	CB4s&r Dual curb mount kits
MTBM03	CB2 Pole Alt Mount Kit?
MTBM04	CB4 Pole mount kit?
MTTM01	CB1 & 9 Foundation Anchor Kit - 4 Bolt
MTTM02	CB1 & 9 Foundation Anchor Kit - Deck Mount
MTTM03	CB5 Foundation Anchor - 3 Bolt
MTTM04	CB5 Foundation Anchor - Deck Mount

## How Important is a UL Certification?

A UL certification means Code Blue has put their products through various testings to ensure it meets UL's high level of standard for performance, durability, and safety. This assures that our products will function as described, are safe, and is made of high-quality materials.

### NOTE:

UL Model Numbers are in reference to the UL Certification **ONLY**.

For accurate configuration of your design requirements, please contact us for assistance in identifying actual part numbers.



Here to

# HELP



Help Points® are available through a number of sales and distribution partners, making it easy to request a quote or find the representative or reseller in your area.



800.323.8167  
anixter.com



800.233.6261  
adiglobaldistribution.us



800.472.9227  
graybar.com



800.422.6191  
jenne.com



888.222.8832  
accu-tech.com



800.944.2432  
scansource.com



## SCAN

to find a representative in your area.

**Code Blue Corporation**  
259 Hedcor Street  
Holland, MI 49423 USA

### Contact Us:

800-205-7186  
codeblue.com



**Code Blue**®, ®, ®, ®, Blue Alert®, EmerComm®, help at the touch of a button®, Help Point®, NightCharge®, ToolVox®, Centry® and We Are Security® are registered trademarks of Code Blue Corporation. All other trade and service marks associated with third party products are the property of their respective owners.